

## Utah Division of Air Quality New Source Review Section

Date	
Company	
Site/Source	

## Form 9 Scrubbers & Wet Collectors

Equipment Information						
Provide diagram of internal components (attach)		Manufacturer:  Model no				
3. Date installed:		Emission Equipment served:				
5. Type of pollutant(s) controlled:  Particulate (type)  SO <sub>x</sub> Odor  Other		6. Type of Scrubber:  ? Spray Chamber ? Venturi ? Cyclone ? Packed Tower Type ? Orifice ? Mechanical				
7. Gas Stream Characteristics						
Flow rate (acfm)  Gas Stream Temperature (°F)		Particulate Grain Load (grains/scf)		Loading		
Design Maximum	Average Expected	Inlet	Outlet	Inlet Outlet		
8. Particulate size: microns (mean geometric diameter)						
Scrubbing Liquid Characteristics						
9.Scrubbing Liquid PH Range Composition Wt. % 1 2.		10.Liquid Injection Rate (gpm)				
		Design Maximum Average E		Expected		
2		11.Pressure at Spray Nozzle psia		12. Pressure drop through Scrubber in inches of water H <sub>2</sub> O:		
Data for Venturi Scrubber		Data for Packed Towers				
13.Throat Dimensions (Specify Units) 14.Throat Velocity (ft/sec)		15. Type of Packing  16. Superficial Gavenority through		perficial Gas ocity through Bed		

Data Stack/exhaust Exit						
17. Height:feet	18. Temperature of exhaust stream:  °F	19. Inside dimensions:feet diameter orfeet xfeet				
20.Monitoring Equipment						
Water Flow	turer Model	gallons per minute				
Settling Ponds						
21. Dimensions of settling pond: Width: Length:		22. Flow rate through settling pond:				
Depth:		23. Residence time of water in pond:				
Emissions Calculations (PTE)						
24. Calculated emissions for this device  PM <sub>10</sub> Lbs/hrTons/yr  NO <sub>x</sub> Lbs/hrTons/yr  SO <sub>x</sub> Lbs/hrTons/yr  VOCLbs/hrTons/yr  HAPsLbs/hr (speciate)Tons/yr (speciate)  Submit calculations as an appendix.						

## NOTE: 1. Submit this form in conjunction with Form 1 and Form 2.

2. Call the Division of Air Quality (DAQ) at **(801) 536-4000** if you have problems or questions in filling out this form. to speak with a New Source Review engineer. We will be glad to help!

## Instructions

- 1. Supply an assembly drawing, dimensioned and to scale of the interior dimensions and features of the equipment. Please include inlet and outlet liquid and gas flow directions and temperatures, and demister section.
- 2. Specify the manufacturer and model number of equipment.
- 3. Please indicate the date that the equipment was installed.
- 4. Specify what type of equipment or process the scrubber is being used for.
- 5. Specify what pollutant is being controlled by the scrubber/wet collector.
- 6. Specify the type of scrubber.
- 7. Supply the specifications for the gas stream including the flow rate at the design maximum and expected average, inlet and outlet temperatures, and particulate grain loading at inlet and outlet.
- 8. Supply the particulate mean geometric diameter.
- 9. Supply the composition of the scrubbing liquid used in the equipment.
- 10. Indicate what the liquid injection rate is for the design maximum and the expected average in gallons per minute.
- 11. Indicate the pressure at the spray nozzle.
- 12. Identify what the pressure drop through the scrubber is.
- 13. Indicate what the throat dimensions are for a venturi scrubber.
- 14. Indicate what the throat velocity is for a venturi scrubber.
- 15. Indicate what the type of packing is in a packed tower.
- 16. Specify what the gas velocity is through the bed in a packed tower.
- 17. Indicate what the stack height is of the scrubber.
- 18. Indicate the temperature of the exhaust gas.
- 19. Supply the inside dimensions of the stack.
- 20. Supply specifications of any monitoring equipment which is used in the system.
- 21. Specify the dimensions of the settling pond.
- 22. Indicate the flow rate of the water through the settling pond.
- 23. Supply the residence time of the water in the settling pond.
- 24. Supply calculations for all criteria pollutants and HAPs. Use AP42 or Manufacturers data to complete your calculations.

f:\engineer\generic\2002 form9.frm revised 7/19/02